Author index to Volume 32, 1995

Key: R = Review article; OA = Original article; SR = Short report; CR = Case report; PV = Personal view; L = Letter

Abbotts J, Davies PSW, Prentice A, Stirling DM, Yan L, Bates C: 25(OH)-Vitamin D assay in plasma: experience in using a commercial kit assay for survey work **591** (SR)
Adosraku RK *see* Yeboah FA
Aherne GW *see* Chapman DJ
Ahsan R *see* Micallef JV
Alberti KGMM *see* Unwin N
Allouche F *see* Pressac M
Arakawa M *see* Sugita O
Archbold GPR, Cupples ME, McKnight A, Linton T: Measurement of markers of tobacco smoking in patients with coronary heart disease **201** (OA)
Ashby JP *see* Wenham PR
Aymard P *see* Pressac M

Babbs C *see* McLindon JP
Balduyck M *see* Huet-Duvillier G
Ball SG: The chemical pathology of AIDS **511** (L)
Banatwala N *see* Williams J
Banks RE *see* Beyeler C
Barnett K *see* Wilson JF
Baroni S *see* Zuppi C
Barth JH, Seth J, Howlett TA, Freedman DB: A survey of endocrine function testing by clinical biochemistry laboratories in the UK **442** (R)
Barth JH, Smith JH, Clarkson P: Wide diversity in measurements of growth hormone after stimulation tests in short children are due to assay variability **369** (OA): correction **598**
Bates C *see* Abbotts J
Baum JD *see* Shield JPH
Beeso J *see* Wong N
Bennett PH *see* Phillips L
Berger HM *see* Lentjes EGWM
Beyeler C, Banks RE, Thompson D, Forbes MA, Cooper EH, Bird H: Bone alkaline phosphatase in rheumatic diseases **379** (OA)
Bird H *see* Beyeler C
Bishop J, Dunstan FDJ, Nix BJ, Reynolds TM: The effects of gestation dating on the calculation of patient specific risks in Down's syndrome screening **464** (OA)
Blom HJ *see* te Poele-Pothoff MTWB
Boers GHJ *see* te Poele-Pothoff MTWB
Bone MJ *see* Roberts NB
Boughton BJ, Sheehan TMT, Wood J, O'Brien D, Butler M, Simpson A, Hale KA: High-performance liquid chromatographic assay of plasma thalidomide: stabilization of specimens and determination of a tentative therapeutic range for chronic graft-versus-host disease **79** (OA)
Braithwaite RA, Jarvie DR, Minty PSB, Simpson D, Widdop B: Screening for drugs of abuse. I: Opiates, amphetamines and cocaine **123** (R)
Braithwaite RA *see also* George S
Breimer L: First trimester biochemical screening for trisomy 21: the role of free β-hCG and pregnancy associated plasma protein **233** (L)
Briddon A: Amino acid data processing **595** (L)
Brivet M, Slama A, Saudubray J-M, Legrand A, Lemonnier A: Rapid diagnosis of long chain and medium chain fatty acid oxidation disorders using lymphocytes **154** (OA)
Burnett D *see* Tibi L
Burrin JM: Molecular aspects of signal transduction in endocrine tissue **104** (L)
Butler M *see* Boughton BJ

Calvin J, Pountain GD, Hazleman BL: Effect of short-term corticosteroid administration on the concentration of serum proteins **213** (SR)
Canepa-Anson R *see* Collinson PO
Carradus M *see* Shield JPH
Casl MT, Surina B, Glojnaric-Spasic I, Pape E, Jagarinec N, Kranjcevic S: Serum amyloid A protein in patients with acute myocardial infarction **196** (OA)
Caslake C *see* Smart JM
Chambron J *see* Sapin R
Chan CHS *see* Chow CC
Chandler HA *see* Collinson PO
Chapman DJ, Cross MJ, Joel SP, Aherne GW: A specific radioimmunoassay for the determination of morphine-6-glucuronide in human plasma **297** (OA)
Cheong SK *see* Choong ML
Choong ML, Ton SH, Cheong SK: Influence of race, age and sex on the lymphocyte subsets in peripheral blood of healthy Malaysian adults **527** (OA)
Chow CC, Mak TWL, Chan CHS, Cockram CS: Euthyroid sick syndrome in pulmonary tuberculosis before and after treatment **385** (OA)
Christofides N *see* Sapin R
Circaud R *see* Pressac M
Clark ML, Humphreys SM, Frayn KN: Stability of plasma glucose during storage **337** (L)
Clarkson P *see* Barth JH
Cockram CS *see* Chow CC
Collinson PO, Chandler HA, Stubbs PJ, Moseley DS, Lewis D, Simmons MD: Measurement of serum troponin T, creatine kinase MB isoenzyme, and total creatine kinase following arduous physical training **450** (OA)
Collinson PO, Thomas S, Siu L, Vasudeva P, Stubbs PJ, Canepa-Anson R: Rapid troponin T measurement in whole blood for detection of myocardial damage **454** (OA)
Cook D, Morgan K, Kalsheker N: Enzyme-labelled oligonucleotides for the detection of α_1-antitrypsin deficiency: optimization of enzyme activity for single point mutation detection **91** (SR)
Cooper EH *see* Beyeler C
Crofton RW *see* George DK
Crook M, Robinson R, Swaminathan R:

Hypertriglyceridaemia in a child with hypernatraemia due to a hypothalamic tumour **226** (CR)
Cross MJ *see* Chapman DJ
Crowley VEF, Olukogu AO: The chemical pathology of AIDS **511** (L)
Cunningham C *see* Lyon TDB
Cupples ME *see* Archbold GPR

Davies PSW *see* Abbotts J
de Castro S *see* Gonzalez-Villaron L
de Jong JGN *see* Leenders RGG
de Kroon IFI *see* te Poele-Pothoff MTWB
de Vries EGE *see* Kema IP
Deacon AC: Measurement of 5-HIAA in urine **102** (L)
Degand P *see* Huet-Duvillier G
Di Salvo S *see* Zuppi C
Dorresteijn-de Bok J *see* Zuijderhoudt FMJ
Doyle S *see* Rees GW
Duggan R: Defective antibody coating in immunoassay tubes **98** (L)
Dunstan FDJ *see* Bishop J
Durham BH, Robinson J, Fraser WD: Differences in the stability of intact osteocalcin in serum, lithium heparin plasma and EDTA plasma **422** (SR)
Dutton J *see* Roberts NB

Egbring R *see* Seitz R
Elin RJ *see* Hosseini JM
Ernerudh J *see* Öhman S
Eskes TKAB *see* te Poele-Pothoff MTWB
Evans K, Laker MF: Intra-individual factors affecting lipid, lipoprotein and apolipoprotein measurement: a review **261** (R)
Evans RM *see* George DK

Fell GS *see* Lyon TDB
Foo AY: Amylase measurement—which method? **239** (PV)
Forbes MA *see* Beyeler C
Ford C, Wells FE, Rogers JN: assessment of iron status in association with excess alcohol consumption **527** (OA)
Forsberg P *see* Öhman S
Fox P, Stamp TCB: Immunoassay of collagen crosslinks in acidified urine **326** (SR)
Franken DG *see* te Poele-Pothoff MTWB
Fraser WD *see* Durham BH
Squire CR
Frayn KN *see* Clark ML
Freedman DB *see* Barth JH
Freemont AJ *see* Stewart MF
French M *see* St John A
Frolich J *see* Tárnoky AL
Fujimoto J, Hori M, Ichigo S, Itoh T, Saio M, Takami T, Tamaya T: Induction of M-CSF receptor and its mRNA, and activation of tyrosine kinase in peripheral monocytes by oestradiol-17β and progesterone **399** (OA)
Fujimoto J, Ichigo S, Hori M, Morishita S, Tamaya T: Oestrogen induces c-Ha-*ras* expression in the fibroblasts derived from human uterine endometrium **487** (OA)

Gasser F *see* Sapin R
Gejyo F *see* Sugita O
George DK, Evans RM, Crofton RW, Gunn IR: Testing for haemochromatosis in the diabetic clinic **521** (OA)
George S, Wood AJ, Braithwaite RA: Routine therapeutic monitoring of lamotrigine in epileptic patients using a simple and rapid high performance liquid chromatographic technique **584** (OA)
Gervais A *see* Sapin R
Gibbons J *see* Lyon TDB
Gibbons WA *see* Yeboah FA
Gibbs CJ, Millar JGB: Renin-angiotensin-aldosterone and kallikrein investigations in a patient with resistant hypomagnesaemia due to Gitelman's syndrome **426** (CR)
Giles PD *see* Wenham PR
Glojnaric-Spasic I *see* Casl MT
Gonzalez-Villaron L, Pérez-Arellano JL, de Castro S: Urinary iron excretion in patients with chronic obstructive airways disease (COAD) **417** (SR)
Goode HF, Richardson N, Myers DS, Howdle PD, Walker BE, Webster NR: The effect of anticoagulant choice on apparent total antioxidant capacity using three different methods **413** (OA)
Goodwin F *see* Williams J
Gordon C *see* McLindon JP
Gosling P: Microalbuminuria: a sensitive indicator of non-renal disease? **439** (PV)
Gossner A *see* Maguire GA
Gray M *see* Price CP
Gray RGF, Ryan D, Green A: The cryopreservation of skin biopsies—a technique for reducing workload in a cell culture laboratory **190** (OA)
Green A *see* Gray RGF
Griffiths KD *see* Jones AP
Guerin MD *see* Jenkins MA
Gunn I *see* Smart JM
Gunn IR *see* George DK

Hale KA *see* Boughton BJ
Hall SK: Defective first antibody coating on commercial two-site immunoradiometric assay tubes, identification of the problem and a quality assurance procedure for its future detection **96** (SR)
Halls DJ *see* Lyon TDB
Hanson R *see* Phillips L
Hart CA *see* Hashim IA
Harvey D, Reynolds T: Serendipity and glycated haemoglobin assay: discovery of a new haemoglobin variant **325** (SR)
Hashim IA, Walsh A, Hart CA, Shenkin A: Cerebrospinal fluid interleukin-6 and its diagnostic value in the investigation of meningitis **289** (OA)
Hayes MM *see* Micallef JV
Hazleman BL *see* Calvin J
Henderson MJ: Stone analysis is not useful in the routine investigation of renal stone disease **109** (PV)
Heney D, Whicher JT: Factors affecting the measurement of cytokines in biological fluids: implications for their clinical measurement **358** (R)
Henley R *see* Russell D
Hoad K *see* St John A
Holder G: External quality assessment of urinary-free cortisol measurement in the UK against a gas chromatography mass spectroscopy reference method **84** (OA)
Holt A *see* McLindon JP
Hori M *see* Fujimoto J

Hosseini JM, Niemela JE, Elin RJ: Mononuclear blood cell magnesium in older subjects: evaluation of its use in clinical practice **435** (L)
Howdle PD *see* Goode HF
Howlett TA *see* Barth JH
Huet-Duvillier G, Balduyck M, Watrigant Y, Sesboue R, Thiebaut C, Lafitte JJ, Degand P: Relationship between a mild α_1 proteinase inhibitor deficiency and respiratory symptoms in a family **545** (OA)
Humphreys SM *see* Clark ML
Hunt LP *see* Shield JPH
Hutchesson ACJ, Smith JM: Contribution of serum globulins to total fructosamine in patients treated by haemodialysis **419** (SR)

Ichigo S *see* Fujimoto J
Iida K *see* Imai A
Imai A, Ohno T, Iida K, Ohsuye K, Okano Y, Tamaya T: A frame-shift mutation of the androgen receptor gene in a patients with receptor-negative complete testicular feminization: comparison with a single base substitution in a receptor-reduced incomplete form **482** (OA)
Immel A *see* Seitz R
Iqbal SJ: Vitamin D metabolism **98** (L)
Irfan H *see* Malik WA
Itoh T *see* Fujimoto J

Jagarinec N *see* Casl MT
Jakobs C *see* te Poele-Pothoff MTWB
Janssen EME *see* Ponjee GAE
Janssens PMW: Molecular aspects of signal transduction in endocrine tissue **104** (L)
Jarvie DR *see* Braithwaite RA
Jenkins MA, Guerin MD: Quantification of serum proteins using capillary electrophoresis **493** (OA)
Joel SP *see* Chapman DJ
Jones AP, Lock S, Griffiths KD: Urinary N-acetyl-β-glucosaminidase activity in type I diabetes mellitus **58** (OA)

Kalsheker N *see* Cook D
Kaltenbach G *see* Sapin R
Kamoi K *see* Kobayashi S
Kaneda N *see* Sugita O
Kasidas GP *see* Samuell CT
Katz I: Calcium metabolism following renal transplantation **234** (L)
Keating A *see* Lyon TDB
Keevil BG, Wong WK: Analysis of sweat chloride by reversed phase high-performance liquid chromatography **502** (OA)
Kema IP, de Vries EGE, Muskiet FAJ: Measurement of 5-HIAA in urine **102** (L)
Kobayashi S, Okamura N, Kamoi K, Sugita O: Bisalbumin (fast and slow type) induced by human pancreatic juice **63** (OA)
Kranjcevic S *see* Casl MT

Labib M, Obeid D: Hyperhidrosis and iron deficiency **509** (CR)
Labib MH *see* Malik WA
Lafitte JJ *see* Huet-Duvillier G
Laing I *see* McLindon JP
Laker MF *see* Evans K
Larner AJ: Monoclonal immunoglobulins and the measurement of inorganic phosphate in serum **102** (L)
Latif A *see* Micallef JV
Leenders RGG, de Jong JGN, Wevers RA: Extraction and purification of gangliosides from plasma and fibroblasts before analysis by thin layer chromatography **68** (OA)
Legrand A *see* Brivet M
Lemonnier A *see* Brivet M
Lentjes EGWM, Lindeman JHN, van de Bent W, Berger HM: Measured versus calculated latent iron binding capacity in plasma of newborns **478** (OA)
Lerch L *see* Seitz R
Lewis D *see* Collinson PO
Lindeman JHN *see* Lentjes EGWM
Linton T *see* Archbold GPR
Lock S *see* Jones AP
Lyon TDB, Cunningham C, Halls DJ, Gibbons J, Keating A, Fell GS: Determination of aluminium in serum, dialysate fluid and water by inductively coupled plasma optical emission spectrometry **160** (OA)

McDowell IFW, McEneny J, Trimble ER: A rapid method for measurement of the susceptibility to oxidation of low-density lipoprotein **167** (OA)
McEneny J *see* McDowell IFW
McKnight A *see* Archbold GPR
McLindon JP, Babbs C, Gordon C, Holt A, Warnes TW, Laing I: Profound hypoglycaemia induced by propranolol in a patient with hepatic cirrhosis and severe hyperandrogenaemia **334** (CR)
Maguire GA, Gossner A: Glycosyl phosphatidyl inositol phospholipase D activity in human serum **74** (OA)
Mak TWL *see* Chow CC
Malik WA, Labib MH, Irfan H: Hyporeninaemic hypoaldosteronism and systemic amyloidosis **593** (CR)
Mallon D *see* St John A
Matsuto T *see* Sugita O
Meijer S *see* Paul MA
Micallef JV, Hayes MM, Latif A, Ahsan R, Sufi SB: Serum binding of steroid tracers and its possible effects on direct steroid immunoassay **566** (OA)
Millar JGB *see* Gibbs CJ
Mills GA *see* Walker V
Minty PSB *see* Braithwaite RA
Mitchell CA *see* Price CP
Morgan K *see* Cook D
Moriarty J *see* Price CP
Morishita S *see* Fujimoto J
Moseley DS *see* Collinson PO
Mulder C *see* Paul MA
Muskiet FAJ *see* Kema IP
Musumeci V *see* Zuppi C
Myers DS *see* Goode HF

Nacitarhan S *see* Ozben T
Nicolaou A *see* Yeboah FA
Niemela JE *see* Hosseini JM
Nix BJ *see* Bishop J
Noonan K *see* Price CP

Obeid D *see* Labib M
O'Brien D *see* Boughton BJ

Öhman S, Ernerudh J, Forsberg P, Roberg M, Vrethem M: Lower values for immunoglobulin M in cerebrospinal fluid when sampled with an atraumatic Sprotte needle compared with conventional lumbar puncture **210** (SR)
Öhman S, Ernerudh J, Roberg M, Forsberg P: Determination of total and herpes simplex virus specific monomeric and dimeric IgA in serum and cerebrospinal fluid by ultracentrifugation **550** (OA)
Ohno T *see* Imai A
Ohsuye K *see* Imai A
Okada M *see* Sugita O
Okamura N *see* Kobayashi S
Okano Y *see* Imai A
Olukogu AO *see* Crowley VEF
Özben T *see* Yegin A
Ozben T, Nacitarhan S, Tuncer N: Plasma and urine sialic acid in non-insulin dependent diabetes mellitus **303** (OA)

Pape E *see* Casl MT
Paul MA, Visser JJ, van Kamp GJ, Mulder C, Meijer S: A simple extraction procedure for the determination of carcinoembryonic antigen in gallbladder bile **332** (SR)
Pearce CJ *see* Savory DJ
Pennock CA *see* Shield JPH
Pérez-Arellano JL *see* Gonzalez-Villaron L
Peters TJ *see* Wong N
Petitjean P *see* Sapin R
Phillips L, Hanson R, Bennett PH: Stability of plasma glucose during storage **337** (L)
Piscator: 106, 238, 344, 438, 520, 602
Ponjee GAE, Janssen EME, van Wersch JWJ: Long-term physical exercise and lipoprotein(a) levels in a previously sedentary male and female population **181** (OA)
Pountain GD *see* Calvin J
Prentice A *see* Abbotts J
Pressac M, Allouche F, Circaud R, Aymard P: Evaluation of human IgG subclass assays on Beckman array **281** (OA)
Price CP, Mitchell CA, Moriarty J, Gray M, Noonan K: Mass versus activity: validation of an immunometric assay for bone alkaline phosphatase in serum **405** (OA)
Price CP, Thompson PW: The role of biochemical tests in the screening and monitoring of osteoporosis **244** (R)
Purdie DW *see* Robertson WS

Rees GW, Trull AK, Doyle S: Evaluation of an enzyme-immunometric assay for serum α-glutathione S-transferase **575** (OA)
Reynolds T *see* Harvey D
Reynolds TM: First trimester biochemical screening for trisomy 21 **512** (L)
Serendipity and glycated haemoglobin assay: discovery of a new haemoglobin variant **513** (L)
see also Bishop J
Richardson N *see* Goode HF
Richardson T *see* Stewart MF
Roberg M *see* Öhman S
Roberts NB, Dutton J, Tewari A, Bone MJ, Sells RA, Ward RG, West CR: A method of relating whole blood cyclosporin A results by HPLC to Abbott TDx monoclonal and polyclonal immunoassays **208** (SR)
Robertson WS, Shaikh J, Purdie DW: Mivacurium sensitivity in a patient heterozygous for the atypical and silent genes for plasma cholinesterase **431** (CR)
Robinson J *see* Durham BH
Robinson R *see* Crook M
Rogers JN *see* Ford C
Roul G *see* Sapin R
Rowe DJ *see* Twyman SJ
Russell D, Henley R: The stability of parathyroid hormone in blood and serum samples at 4°C and at room temperature **216** (SR)
Ryan D *see* Gray RGF

St John A, Hoad K, Mallon D, French M: Serum parathyroid hormone concentrations in patients with HIV infection **94** (SR)
Saio M *see* Fujimoto J
Samuell CT, Kasidas GP: Biochemical investigations in renal stone formers **112** (R)
Sapin R, Schlienger J-L, Kaltenbach G, Gasser F, Christofides N, Roul G, Gervais A, Petitjean P, Chambron J: Determination of free triiodothyronine by six different methods in patients with non-thyroidal illness and in patients treated with amiodarone **314** (OA)
Saudubray J-M *see* Brivet M
Savory DJ: Interference by caffeine in theophylline measurement **338** (L)
Savory DJ, Pearce CJ: Paraprotein interference causing pseudohyperphosphataemia: evaluation of an improved methodology **498** (OA)
Savva D *see* Tárnoky AL
Schlienger J-L *see* Sapin R
Scribano D *see* Zuppi C
Seitz R, Lerch L, Immel A, Egbring R: D-dimer tests detect both plasmin and neutrophil elastase derived split products **193** (OA)
Sells RA *see* Roberts NB
Sesboue R *see* Huet-Duvillier G
Seth J *see* Barth JH
Shaikh J *see* Robertson WS
Sheehan TMT *see* Boughton BJ
Shenkin A *see* Hashim IA
Sherwood RA *see* Wong N
Shield JPH, Carradus M, Stone JE, Hunt LP, Baum JD, Pennock CA: Urinary heparan sulphate proteoglycan excretion is abnormal in insulin dependent diabetes **557** (OA)
Simmons MD *see* Collinson PO
Simpson A *see* Boughton BJ
Simpson D *see* Braithwaite RA
Skillen A *see* Unwin N
Slama A *see* Brivet M
Smart JM, Caslake C, Gunn I: Positive interference by azapropazone (Rheumox) in the measurement of total thyroxine using the Ciba-Corning ACS:180 immunoassay analyser **424** (SR)
Smith JH *see* Barth JH
Smith JM *see* Hutchesson ACJ
Spencer K: First trimester biochemical screening for trisomy 21: the role of free β-hCG and pregnancy associated plasma protein **233** (L)
Squire CR, Fraser WD: Thyroid stimulating hormone measurement using a third generation immunometric assay **307** (OA)

Stamp TCB *see* Fox QP
Stewart MF, Freemont AJ, Richardson T: Fatal isoniazid poisoning **229** (CR)
Stirling DM *see* Abbotts J
Stone JE *see* Shield JPH
Stubbs PJ *see* Collinson PO
Sufi SB *see* Micallef JV
Sugita O, Tomiyama Y, Matsuto T, Okada M, Gejyo F, Arakawa M, Takahashi S, Watazu Y, Kaneda N: A new enzymatic method for the determination of inulin **561**
Sugita O *see also* Kobayashi S
Surina B *see* Casl MT
Swaminathan R: Vitamin D metabolism 98 (L)
see also Crook M

Takahashi S *see* Sugita O
Takami T *see* Fujimoto J
Tamaya T *see* Fujimoto J
Imai A
Tárnoky AL, Savva D, Frolich J: Classification of an alloalbumin **434** (L)
te Poele-Pothoff MTWB, van den Berg M, Franken DG, Boers GHJ, Jakobs C, de Kroon IFI, Eskes TKAB, Trijbels JMF, Blom HJ: Three different methods for the determination of total homocysteine in plasma **218** (SR)
Te Velde K *see* Zuijderhoudt FMJ
Tewari A *see* Roberts NB
Thiebaut C *see* Huet-Duvillier G
Thomas S *see* Collinson PO
Thompson D *see* Beyeler C
Thompson PW *see* Price CP
Tibi L, Burnett D: Interference by caffeine in polarization fluoroimmunoassays for theophylline **339** (L)
Tomiyama Y *see* Sugita O
Ton SH *see* Choong ML
Tormey WP: Phaeochromocytoma diagnosis **595** (L)
Trijbels JMF *see* te Poele-Pothoff MTWB
Trimble ER *see* McDowell IFW
Trull AK *see* Rees GW
Tuncer N *see* Ozben T
Twyman SJ, Rowe DJ: A sensitive radioimmunoassay for the determination of haemoglobin in urine **506** (SR)

Unwin N, Skillen A, Alberti KGMM: The Yellow Springs analyser gives lower results than other glucose oxidase methods of glucose measurement **329** (SR)

van de Bent W *see* Lentjes EGWM
van den Berg M *see* te Poele-Pothoff MTWB
van Kamp GJ *see* Paul MA
van Wersch JWJ *see* Ponjee GAE
Vasudeva P *see* Collinson PO
Visser JJ *see* Paul MA
Vrethem M *see* Öhman S

Walker BE *see* Goode HF
Walker V, Mills GA: Quantitative methods for amino acid analysis in biological fluids **28** (R)
Wallace AM: Analytical support for the detection and treatment of congenital adrenal hyperplasia **9** (R)
Walsh A *see* Hashim IA
Ward RG *see* Roberts NB
Warnes TW *see* McLindon JP
Watazu Y *see* Sugita O
Watrigant Y *see* Huet-Duvillier G
Webster NR *see* Goode HF
Weiner K: Whole blood glucose: what are we actually measuring? **1** (PV)
Weinkove C: Phaeochromocytoma diagnosis **595** (L)
Wells FE *see* Ford C
Wenham PR, Giles PD, Ashby JP: Hypercholesterolaemia presenting in a patient with familial defective apolipoprotein B-100 and hypothyroidism **221** (CR)
West CR *see* Roberts NB
Wevers RA *see* Leenders RGG
Wheeler MJ: The determination of bio-available testosterone **345** (R)
Whicher JT *see* Heney D
White G: Twelve months' experience of a quality assessment scheme for urine tests using reagent strips **589** (SR)
Widdop B *see* Braithwaite RA
Williams J, Goodwin F, Banatwala N: Poor performance of serum separator **232** (L)
Wilson JF, Barnett K: External quality assessmentof techniques for assay of serum ethanol **540** (OA)
Wong N, Beeso J, Sherwood RA, Peters TJ: An improved method for the quantitation of apolipoprotein B and apolipoprotein A-1 in dried blood spots **175** (OA)
Wong WK *see* Keevil BG
Wood AJ *see* George S
Wood J *see* Boughton BJ

Yan L *see* Abbotts J
Yeboah FA, Adosraku RK, Nicolaou A, Gibbons WA: Proton nuclear magnetic resonance lipid profiling of intact platelet membranes **392** (OA)
Yegin A, Özben T: Serum glycated lipoproteins in type II diabetic patients with and without complications **459** (OA)

Zuijderhoudt FMJ, Dorresteijn-de Bok J, Te Velde K: Evaluation of a first-line spectrophotometric screening test for increased urine porphyrin excretion **186** (OA)
Zuppi C, Baroni S, Scribano D, Di Salvo S, Musumeci V: Choice of time for urine collection for detecting early kidney abnormalities in hypertensives **373** (OA)

Subject index to Volume 32, 1995

Key: R = Review article; OA = Original article; SR = Short report; CR = Case report; PV = Personal view; L = Letter

Acidified urine, immunoassay of collagen crosslinks **326** (SR)
AIDS
chemical pathology **511** (L)
serum parathyroid hormone concentrations **94** (SR)
Albumin excretion rate, urinary, in Type I diabetes mellitus **58** (OA)
Alcohol consumption, excess, and iron status, assessment **527** (OA)
Alkaline phosphatase, bone
in rheumatic diseases **379** (OA)
in serum, immunometric assay **405** (OA)
Alloalbumin, classification **434** (L)
Alpha$_1$-antitrypsin deficiency, enzyme-labelled oligonucleotides for detection **91** (SR)
Alpha$_1$ proteinase inhibitor deficiency, mild, and respiratory symptoms, relationship between **545** (OA)
Alpha-glutathione S-transferase, serum, evaluation of enzyme-immunometric assay **575** (OA)
Aluminium, in serum, dialysate fluid and water, determination by inductively coupled plasma optical emission spectrometry **160** (OA)
Amino acid analysis in biological fluids, quantitative methods **28** (R)
Amino acid data processing **595** (L)
Amiodarone, free triiodothyronine determination, compared with non-thyroidal illness **314** (OA)
Amphetamines, screening **123** (R)
Amylase measurement, which method? **239** (PV)
Amyloid A protein, serum, in acute myocardial infarction **196** (OA)
Amyloidosis, systemic, and hyporeninaemic hypoaldosteronism **593** (CR)
Androgen receptor gene, frame-shift mutation in receptor-negative complete testicular feminization **482** (OA)
Antibody coating, defective, on commercial two-site immunoradiometric assay tubes **96** (SR): **98** (L)
Anticoagulant choice, effect on apparent total antioxidant capacity using three different methods **413** (OA)
Antioxidant, apparent total capacity using three different methods, effect of anticoagulant choice **413** (OA)
Apolipoprotein, intra-individual factors affecting measurement **261** (R)
Apolipoprotein A-1, in dried blood spots, improved method for quantitation **175** (OA)
Apolipoprotein B, in dried blood spots, improved method for quantitation **175** (OA)
Apolipoprotein B-100, familial defective, and hypothyroidism, and hypercholesterolaemia **221** (CR)
Atraumatic Sprotte needle, lower values for IgM in cerebrospinal fluid compared with conventional lumbar puncture **210** (SR)
Azapropazone, positive interference in measurement of total thyroxine using Ciba-Corning ACS:180 immunoassay analyser **424** (SR)
Beckman array, evaluation of human IgG subclass assays **281** (OA)
Beta-human chorionic gonadotrophin and pregnancy associated plasma protein, role in first trimester biochemical screening for trisomy 21 **233** (L)
Bio-available testosterone, determination **345** (R)
Biological fluids
amino acid analysis in, quantitative methods **28** (R)
measurement of cytokines, factors affecting **358** (R)
Bisalbumin (fast and slow type) induced by human pancreatic juice **63** (OA)
Bone alkaline phosphatase
in rheumatic diseases **379** (OA)
in serum, immunometric assay **405** (OA)
Book reviews
AACC TDM/Tox Laboratory Improvement Program Committee: Drug monitoring data pocket guide II, 1994 **517**
Aldridge S: Biochemistry for advanced biology, 1994 **518**
Astrup P, Bie P, Engell HC: Salt and water in culture and medicine, 1993 **514**
Brody T. Nutritional biochemistry **340**
Burtis CA, Ashwood ER, *editors*. Tietz textbook of clinical chemistry **236**
Copeland RA. Methods for protein analysis: a practical guide to laboratory protocols **341**
Faulkner WR, Meites S. Geriatric clinical chemistry, reference values **437**
Ferrannini E, *editor*. Clinical endocrinology and metabolism: Insulin resistance and disease **235**
Fuller P, Shulkes A, *editors*. The gut as an endocrine organ: Clinical endocrinology and metabolism – International practice and research, vol 8, no 1 **236**
Green A, Morgan I. Neonatology and clinical biochemistry **341**
Gregory JW, Aynsley-Green ., *editors*. Clinical endocrinology and metaboism: Hypoglycaemia **235**
Haeberli A, *editor*. Human protein: 2nd instalment **340**
Hallworth M, Capps N: Therapeutic drug monitoring and clinical biochemistry, 1993 **516**
Holme DJ, Peck H, *editors*. Problem solving in analytical biochemistry **436**
Leitch A, Schwarzacher T, Jackson D, Leitch IJ. *In situ* hybridization: a practical guide **343**
Mayne PD: Clinical chemistry in diagnosis and treatment, 1994 **600**
Mayne PD, Day AP: A workbook of clinical chemistry: case presentation and data interpretation, 1994 **600**
Newton CR, Graham A. PCR: introduction to biotechniques **342**
Rapley R, Walker MR, *editors*: Molecular diagnostics, 1993 **514**
Rodricks JV: Calculated risks – the toxicity and human health risks of chemicals in our environment, 1994 **599**

Soldin SJ, Hicks JM, *editors*: Paediatric reference ranges, 1995 **599**
Walmsley RN, Watkinson LR, Koay ESC: Cases in chemical pathology: a diagnostic approach, 3rd edition, 1992 **515**
Whitehead TP, Robinson D, Hale AC, Bailey AR. Clinical chemistry and haematology: adult reference ranges **436**
Wild D, *editor*: The immunoassay handbook, 1994 **517**
Wilson J: Abused drugs II—a laboratory pocket guide, 1994 **517**

c-Ha-*ras* expression in fibroblasts derived from human uterine endometrium, oestrogen induces **487** (OA)
Caffeine
interference in polarization fluoroimmunoassays for theophylline **338** (L)
interference in theophylline measurement **338** (L)
Calcium metabolism following renal transplantation **234** (L)
Capillary electrophoresis in quantification of serum proteins **493** (OA)
Carcinoembryonic antigen, determination in gallbladder bile, simple extraction procedure **332** (SR)
Cardiovascular disease, microalbuminuria: a sensitive indicator of non-renal disease **439** (PV)
Cerebrospinal fluid, lower values for IgM when sampled with an atraumatic Sprotte needle compared with conventional lumbar puncture **210** (SR)
Cerebrospinal fluid interleukin-6 and its diagnostic value in investigation of meningitis **289** (OA)
Chloride, sweat, analysis by reversed phase high-performance liquid chromatography **502** (OA)
Cholinesterase, plasma, mivacurium sensitivity in patient heterozygous for atypical and silent genes **431** (CR)
Chronic obstructive airways disease, urinary iron excretion **417** (SR)
Ciba-Corning ACS:180 immunoassay analyser for total thyroxine measurement, interference by azapropazone **424** (SR)
Clinical biochemistry laboratories, endocrine function testing, UK **442** (R)
Cocaine, screening **123** (R)
Collagen crosslinks, in acidified urine, immunoassay **326** (SR)
Congenital adrenal hyperplasia, analytical support for detection and treatment **9** (R)
Coronary heart disease, measurement of markers of tobacco smoking **201** (OA)
Correction 598
Corticosteroids, short-term administration, effect on serum protein concentration **213** (SR)
Cortisol measurement, urinary free, external quality assessment against gas chromatography mass spectroscopy reference method **84** (OA)
Creatine kinase MB isoenzyme, total creatine kinase, and serum troponin T, measurement following arduous physical training **450** (OA)
Cryopreservation of skin biopsies, technique for reducing workload in a cell culture laboratory **190** (OA)
Cyclosporin A, whole blood, method of relating results by HPLC to Abbott TDx monoclonal and polyclonal immunoassays **208** (SR)
Cytokines, measurement in biological fluids, factors affecting **358** (R)

D-dimer tests detect plasmin and neutrophil elastase derived split products **193** (OA)
Diabetes
insulin dependent, urinary heparan sulphate proteoglycan excretion is abnormal **557** (OA)
microalbuminuria: a sensitive indicator of non-renal disease **439** (PV)
type I, urinary N-acetyl-β-glucosaminidase activity 58 (OA)
type II, with and without complications, serum glycated lipoproteins **459** (OA)
Diabetic clinic, testing for haemochromatosis **521** (OA)
Dialysate fluid, aluminium determination by inductively coupled plasma optical emission spectrometry **160** (OA)
Down's syndrome
first trimester biochemical screening for trisomy 21, role of free β-hCG and pregnancy associated plasma protein **233** (L)
screening, effects of gestation dating on calculation of patient specific risks **464** (OA)
Dried blood spots, apo A-1 and apo B, improved method for quantitation **175** (OA)
Drugs of abuse, screening. I: Opiates, amphetamines and cocaine **123** (R)

Electrophoresis, capillary, in quantification of serum proteins **493** (OA)
Endocrine function testing by clinical biochemistry laboratories, UK **442** (R)
Endocrine tissue, signal transduction, molecular aspects **104** (L)
Enzymatic model, new, for determination of inulin **561** (OA)
Enzyme activity of enzyme-labelled allele-specific oligonucleotides, optimization **91** (SR)
Enzyme-immunometric assay for serum α-glutathione S-transferase, evaluation **575** (OA)
Epilepsy, rapid HPLC for monitoring lamotrigine **584** (OA)
Ethanol, serum, external quality assessment of techniques for assay **540** (OA)
Euthyroid sick syndrome in pulmonary tuberculosis before and after treatment **385** (OA)
External quality assessment
of techniques for assay of serum ethanol **540** (OA)
of urinary-free cortisol measurement against gas chromatography mass spectroscopy reference method **84** (OA)

Familial defective apolipoprotein B-100 and hypothyroidism, and hypercholesterolaemia **221** (CR)
Fatty acid oxidation disorders, long and medium chain, rapid diagnosis using lymphocytes **154** (OA)
Fibroblasts derived from human uterine endometrium, oestrogen induces c-Ha-*ras* expression **487** (OA)
Free triiodothyronine determination, non-thyroidal illness and amiodarone therapy compared **314** (OA)
Fructosamine, total, contribution of serum globulins in haemodialysis treatment **419** (SR)

Gallbladder bile, simple extraction procedure for carcinoembryonic antigen determination **332** (SR)

Gangliosides, extraction and purification from plasma and fibroblasts before analysis by thin layer chromatography **68** (OA)
Gas chromatography mass spectroscopy reference method against external quality assessment of urinary-free cortisol measurement **84** (OA)
Gestation dating, effects on calculation of patient specific risks in Down's syndrome screening **464** (OA)
Gitelman's syndrome causing hypomagnesaemia, renin-angiotensin-aldosterone and kallikrein investigations **426** (CR)
Globulins, serum, contribution to total fructosamine in haemodialysis treatment **419** (SR)
Glucose
oxidase methods of glucose measurement, Yellow Springs analyser gives lower results **329** (SR)
plasma, stability during storage **337** (L)
whole blood measurement, critical look at what is actually being measured **1** (PV)
Glycated haemoglobin assay, discovery of new haemoglobin variant **325** (SR), **513** (L)
Glycated lipoproteins, serum, in type II diabetic patients with and without complications **459** (OA)
Glycosyl phosphatidyl inositol phospholipase D activity in human serum **74** (OA)
Graft-versus-host disease, HPLC assay of plasma thalidomide **79** (OA)
Growth hormone measurements, wide diversity after stimulation tests in short children are due to assay variability **369** (OA): correction **598**

Haemochromatosis, hereditary
assessment of iron status in association with excess alcohol consumption **527** (OA)
testing in the diabetic clinic **521** (OA)
Haemoglobin, urinary, sensitive radioimmunoassay for detection **506** (SR)
Haemoglobin variant, new, discovery, serendipity and glycated haemoglobin assay **325** (SR), **513** (L)
Haemoglobinopathy, serendipity and glycated haemoglobin assay, discovery of new haemoglobin variant **325** (SR), **513** (L)
Heparan sulphate proteoglycan, urinary excretion is abnormal in insulin dependent diabetes **557** (OA)
Hepatic cirrhosis and severe hyperandrogenaemia, profound hypoglycaemia induced by propranolol **334** (CR)
Herpes simplex virus specific and total monomeric and dimeric IgA, determination in serum and CSF by ultracentrifugation **550** (OA)
High-performance liquid chromatography
for amino acid analysis in biological fluids 28 (R)
method of relating whole blood cyclosporin A results by to TDx monoclonal and polyclonal immunoassays **208** (SR)
of plasma thalidomide, in chronic graft-versus-host disease **79** (OA)
reversed phase, in analysis of sweat chloride **502** (OA)
simple and rapid, for routine therapeutic monitoring of lamotrigine in epileptic patients **584** (OA)
HIV infection, serum parathyroid hormone concentrations **94** (SR)
Homocysteine, total, in plasma, three methods for determination **218** (SR)
5-Hydroxyindoleacetic acid, measurement in urine **102** (L)
Hydroxylase deficiencies, analytical support for detection and treatment of congenital adrenal hyperplasia **9** (R)
17-Hydroxyprogesterone, analytical support for detection and treatment of congenital adrenal hyperplasia **9** (R)
Hyperandrogenaemia, severe, and hepatic cirrhosis, profound hypoglycaemia induced by propranolol **334** (CR)
Hypercholesterolaemia, presenting in patient with familial defective apolipoprotein B-100 and hypothyroidism **221** (CR)
Hyperhidrosis and iron deficiency **509** (CR)
Hypernatraemia due to a hypothalamic tumour, and hypertriglyceridaemia **226** (CR)
Hypertension
choice of time for urine collection for detecting early kidney abnormalities **373** (OA)
microalbuminuria: a sensitive indicator of non-renal disease **439** (PV)
Hypertriglyceridaemia in child with hypernatraemia due to a hypothalamic tumour **226** (CR)
Hypoglycaemia, profound, induced by propranolol, in hepatic cirrhosis and severe hyperandrogenaemmia **334** (CR)
Hypomagnesaemia due to Gitelman's syndrome, renin-angiotensin-aldosterone and kallikrein investigations **426** (CR)
Hyporeninaemic hypoaldosteronism and systemic amyloidosis **593** (CR)
Hypothalamic tumour, hypernatraemia due to, and hypertriglyceridaemia **226** (CR)
Hypothyroidism, and familial defective apolipoprotein B-100, and hypercholesterolaemia **221** (CR)

Immunoassay tubes, defective antibody coating **96** (SR), **98** (L)
Immunochemistry analyser, in evaluation of human IgG subclass assays on Beckman array **281** (OA)
Immunoglobulin A antibodies to herpes simplex, determination in serum and CSF by ultracentrifugation **550** (OA)
Immunoglobulin G subclass assays on Beckman array, evaluation **281** (OA)
Immunoglobulin M in cerebrospinal fluid, lower values when sampled with an atraumatic Sprotte needle compared with conventional lumbar puncture **210** (SR)
Immunometric assay for bone alkaline phosphatase in serum **405** (OA)
Immunoradiometric assay tubes, two-site, commercial, defective first antibody coating, identification of problem and quality assurance procedure for future detection **96** (SR), **98** (L)
Inductively coupled plasma optical emission spectrometry in determination of aluminium in serum, dialysate fluid and water **160** (OA)
Inorganic phosphate in serum, measurement, and monoclonal immunoglobulins **192** (L)
Insulin dependent diabetes, urinary heparan sulphate proteoglycan excretion is abnormal **557** (OA)
Intact platelet membranes, proton nuclear magnetic resonance lipid profiling **392** (OA)
Interleukin-6, cerebrospinal fluid, and its diagnostic value in investigation of meningitis **289** (OA)
Inulin, new enzymatic model for determination **561** (OA)

Iron binding capacity, latent, measured versus calculated, in plasma of newborns **478** (OA)
Iron deficiency, and hyperhidrosis **509** (CR)
Iron status, in association with excess alcohol consumption, assessment **527** (OA)
Iron, urinary excretion in COAD **417** (SR)
Isoniazid poisoning, fatal **229** (CR)

Kallikrein investigation in resistant hypomagnesaemia due to Gitelman's syndrome **426** (CR)
Kidney, detecting early abnormalities in hypertensives, choice of time for urine collection **373** (OA)

Lactic acidosis, and the chemical pathology of AIDS **511** (L)
Lamotrigine, routine therapeutic monitoring in epileptic patients using simple and rapid high performance liquid chromatographic technique **584** (OA)
Latent iron binding capacity, measured versus calculated, in plasma of newborns **478** (OA)
Lipids
intra-individual factors affecting measurement **261** (R)
proton nuclear magnetic resonance profiling of intact platelet membranes **392** (OA)
Lipoprotein
glycated, serum, in type II diabetic patients with and without complications **459** (OA)
intra-individual factors affecting measurement **261** (R)
Lipoprotein(a) levels, effect of long-term physical exercise in previously sedentary male and female population **181** (OA)
Liver disease, glycosyl phosphatidyl inositol phospholipase D activity in human serum **74** (OA)
Low-density lipoprotein, susceptibility to oxidation, rapid method for measurement **167** (OA)
Lymphocyte subsets in peripheral blood of healthy Malaysian adults, influence of race, age and sex **532** (OA)
Lymphocytes, rapid diagnosis of long and medium chain fatty acid oxidation disorders using **154** (OA)

Macrophage-CSF receptor, induction, and its mRNA, and activation of tyrosine kinase in peripheral monocytes by oestradiol-17β and progesterone **399** (OA)
Magnesium, mononuclear blood cell, in older subjects, evaluation of its use in clinical practice **435** (L)
Malaysian adults, lymphocyte subsets in peripheral blood, influence of race, age and sex **532** (OA)
Meningitis, diagnostic value of CSF IL-6 **289** (OA)
Microalbuminuria, sensitive indicator of non-renal disease? **439** (PV)
Mivacurium sensitivity in patient heterozygous for atypical and silent genes for plasma cholinesterase **431** (CR)
Molecular aspects of signal transduction in endocrine tissue **104** (L)
Monoclonal immunoglobulins and measurement of inorganic phosphate in serum **102** (L)
Mononuclear blood cell magnesium in older subjects, evaluation of its use in clinical practice **435** (L)
Morphine-6-glucuronide in plasma, specific radio-immunoassay for determination **297** (OA)
Myocardial damage, rapid troponin T measurement in whole blood for detection **454** (OA)
Myocardial infarction, serum amyloid A protein **196** (OA)

N-acetyl-β-glucosaminidase activity, urinary, in Type I diabetes mellitus **58** (OA)
Neutrophil elastase derived split products, D-dimer tests detect **193** (OA)
Non-insulin dependent diabetes mellitus, plasma and urine sialic acid **303** (OA)
Non-renal disease, microalbuminuria a sensitive indicator? **439** (PV)

Oestradiol-17β in activation of tyrosine kinase in peripheral monocytes **399** (OA)
Oestrogen induces c-Ha-*ras* expression in fibroblasts derived from human uterine endometrium **487** (OA)
25(OH)-vitamin D assay in plasma, using commercial kit assay for survey work **591** (SR)
Oligonucleotides, enzyme-labelled, for detection of α_1-antitrypsin deficiency **91** (SR)
Oligosaccharides, amylase measurement **239** (PV)
Opiates, screening **123** (R)
Osteocalcin, intact, in serum, lithium heparin plasma and EDTA plasma, differences in stability **422** (SR)
Osteoporosis, biochemical tests in screening and monitoring **244** (R)
Oxidation, LDL susceptibility, rapid method for measurement **167** (OA)

Pancreatic juice, bisalbumin (fast and slow type) induced by **63** (OA)
Pancreatitis, acute, amylase measurement **239** (PV)
Paraprotein interference causing pseudohyperphosphataemia, evaluation of improved methodology **498** (OA)
Parathyroid hormone
serum concentrations, in patients with HIV infection **94** (SR)
stability in blood and serum samples at 4°C and at room temperature **216** (SR)
Peripheral blood, lymphocyte subsets, healthy Malaysian adults, influence of race, age and sex **532** (OA)
Phaeochromocytoma diagnosis **595** (L)
Physical exercise, long-term, and Lp(a) levels, in previously sedentary male and female population **181** (OA)
Physical training, arduous, measurement of serum troponin T, creatine kinase MB isoenzyme, and total creatine kinase following **450** (OA)
Plasma glucose, stability during storage **337** (L)
Plasma, specific radioimmunoassay for determination of morphine-6-glucuronide **297** (OA)
Plasma and urine sialic acid in NIDDM **303** (OA)
Plasmin derived split products, D-dimer tests detect **193** (OA)
Platelet membranes, intact, proton nuclear magnetic resonance lipid profiling **392** (OA)
Porphyrin, urine excretion, increased, first-line spectrophotometric screening test, evaluation **186** (OA)
Pregnancy associated plasma protein, and free β-hCG, role in first trimester biochemical screening for trisomy 21 **233** (L)

Progesterone in activation of tyrosine kinase in peripheral monocytes **399** (OA)
Propranolol induced profound hypoglycaemia in hepatic cirrhosis and severe hyperandrogenaemia **334** (CR)
Proteins, serum, quantification using capillary electrophoresis **493** (OA)
Proton nuclear magnetic resonance lipid profiling of intact platelet membranes **392** (OA)
Pseudohyperphosphataemia, caused by paraprotein interference, evaluation of improved methodology **498** (OA)
Pulmonary tuberculosis, euthyroid sick syndrome before and after treatment **385** (OA)
Pyridinoline, immunoassay of collagen crosslinks in acidified urine **326** (SR)

Quality assessment scheme for urine tests using reagent strips, twelve months' experience **589** (SR)
Quality assurance procedure, defective first antibody coating on commercial two-site immunoradiometric assay tubes **96** (SR), **98** (L)

Radial immunodiffusion, in evaluation of human IgG subclass assays on Beckman array **281** (OA)
Radioimmunoassay
sensitive, for detection of haemoglobin in urine **506** (SR)
specific, for morphine-6-glucuronide determination in plasma **297** (OA)
Rate nephelometry, in evaluation of human IgG subclass assays on Beckman array **281** (OA)
Reagents strips for urine tests, quality assessment scheme, twelve months' experience **589** (SR)
Renal stone disease, and routine stone analysis **109** (PV)
Renal stone formers, biochemical investigations **112** (R)
Renal transplantation, calcium metabolism following **234** (L)
Renin-angiotensin-aldosterone investigation in resistant hypomagnesaemia due to Gitelman's syndrome **426** (CR)
Respiratory symptoms and mild α_1 proteinase inhibitor deficiency, relationship between **545** (OA)
Rheumatic diseases, bone alkaline phosphatase **379** (OA)
Rheumox *see* Azapropazone

Serum, aluminium determination by inductively coupled plasma optical emission spectrometry **160** (OA)
Serum binding of steroid tracers, possible effects on direct steroid immunoassay **566** (OA)
Serum separator, poor performance **232** (L)
Sialic acid, plasma and urine, in NIDDM **303** (OA)
Signal transduction in endocrine tissue, molecular aspects **104** (L)
Skin biopsies, cryopreservation, technique for reducing workload in a cell culture laboratory **190** (OA)
Spectrophotometric screening test, first-line, for increased urine porphyrin excretion, evaluation **186** (OA)
Steroid tracers, serum binding, possible effects on direct steroid immunoassay **566** (OA)
Stone analysis, not useful in routine investigation of renal stone disease **109** (PV)
Sweat chloride, analysis by reversed phase high-performance liquid chromatography **502** (OA)

TDx monoclonal and polyclonal immunoassays, method of relating whole blood cyclosporin A results by HPLC to **208** (SR)
Testicular feminization, receptor-negative complete, frame-shift mutation of androgen receptor gene **482** (OA)
Testosterone, bio-available, determination **345** (R)
Thalidomide, plasma, HPLC assay, in chronic graft-versus-host disease **79** (OA)
Theophylline measurement
interference by caffeine **338** (L)
polarization fluoroimmunoassays, interference by caffeine **338** (L)
Thin layer chromatography, for extraction and purification of gangliosides from plasma and fibroblasts before analysis **68** (OA)
Third generation immunometric assay for TSH measurement **307** (OA)
Thyroid stimulating hormone measurement using third generation immunometric assay **307** (OA)
Thyroxine, measurement using Ciba-Corning ACS:180 immunoassay analyser, interference by azapropazone **424** (SR)
Tobacco smoking markers, measurement in coronary heart disease **201** (OA)
Total creatine kinase, creatine kinase MB isoenzyme, and serum troponin T, measurement following arduous physical training **450** (OA)
Triiodothyronine, free, determination, non-thyroidal illness and amiodarone therapy compared **314** (OA)
Trisomy 21, first trimester biochemical screening, role of free β-hCG and pregnancy associated plasma protein **233** (L), **512** (L)
Troponin T
creatine kinase MB isoenzyme, and total creatine kinase, measurement following arduous physical training **450** (OA)
rapid measurement in whole blood for detection of myocardial damage **454** (OA)
Tyrosine kinase, activation in peripheral monocytes by oestradiol-17β and progesterone **399** (OA)

Urine collection, choice of gtime for detecting early kidney abnormalities in hypertensives **373** (OA)
Urine sialic acid in NIDDM **303** (OA)
Urine tests using reagent strips, quality assessment scheme, twelve months' experience **589** (SR)
Uterine endometrium, human, oestrogen induces c-Ha-*ras* expression in fibroblasts derived from **487** (OA)

Vascular permeability, microalbuminuria: a sensitive indicator of non-renal disease **439** (PV)
Vitamin D
25(OH)-vitamin D assay in plasma, using commercial kit assay for survey work **591** (SR)
metabolism **98** (L)

Water, aluminium determination by inductively coupled plasma optical emission spectrometry **160** (OA)

Yellow Springs analyser gives lower results than other glucose oxidase methods of glucose measurement **329** (SR)